

---

# Contents

Foreword .....	5
User Guide .....	7
<b>Chapter 1: The Four Operations</b>	
Introduction .....	11
Warm Up: Mental Math .....	13
The Order of Operations .....	15
Equations .....	17
Review: Addition and Subtraction .....	19
Review: Multiplication and Division .....	22
Partial Products, Part 1 .....	25
Partial Products, Part 2 .....	28
The Multiplication Algorithm .....	31
More Multiplication .....	36
Review of Long Division .....	41
A Two-Digit Divisor .....	44
More Long Division .....	47
Division with Mental Math .....	51
Long Division and Repeated Subtraction .....	53
Divisibility and Factors .....	58
More on Divisibility .....	61
Primes and Finding Factors .....	63
Prime Factorization .....	66
Chapter 1 Review .....	71
<b>Chapter 2: Large Numbers and the Calculator</b>	
Introduction .....	75
A Little Bit of Millions .....	77
Exponents and Powers .....	80
The Place Value System .....	83
Multiplying Numbers by Powers of Ten .....	86
Adding and Subtracting Large Numbers .....	91
Rounding .....	94
The Calculator .....	97
When to Use the Calculator .....	100
Mixed Review Chapter 2 .....	102
Chapter 2 Review .....	104

### **Chapter 3: Problem Solving**

Introduction .....	107
Balance Problems and Equations 1 .....	109
Balance Problems and Equations 2 .....	112
Problem Solving with Bar Models 1 .....	115
Problem Solving with Bar Models 2 .....	118
Problem Solving with Bar Models 3 .....	120
Problem Solving with Bar Models 4 .....	122
Miscellaneous Problems .....	124
Mixed Review Chapter 3 .....	126
Chapter 3 Review .....	128

### **Chapter 4: Decimals, Part 1**

Introduction .....	131
Review: Tenths and Hundredths .....	133
More Decimals: Thousandths .....	136
Decimals on a Number Line .....	141
Add and Subtract Decimals—Mental Math .....	143
Add and Subtract Decimals in Columns .....	147
Comparing Decimals .....	149
Rounding Decimals .....	151
Multiply a Decimal by a Whole Number .....	153
More on Multiplying Decimals .....	157
More Practice and Review .....	159
Divide Decimals by Whole Numbers 1 .....	161
Divide Decimals by Whole Numbers 2 .....	165
Mixed Review Chapter 4 .....	167
Chapter 4 Review .....	169

### **Chapter 5: Graphing**

Introduction .....	173
The Coordinate Grid .....	175
The Coordinate Grid, Part 2 .....	178
Number Patterns in the Coordinate Grid .....	180
More Number Patterns in the Coordinate Grid .....	183
Line Graphs .....	186
Double and Triple Line Graphs .....	190
Average (Mean) .....	193
Mixed Review Chapter 5 .....	196
Chapter 5 Review .....	199

---

# Foreword

Math Mammoth Grade 5 comprises a complete math curriculum for the fifth grade mathematics studies. The curriculum meets (and exceeds) the Common Core standards.

Fifth grade is when we focus on fractions and decimals and their operations in great detail. Students also deepen their understanding of whole numbers, are introduced to the calculator, learn more problem solving and geometry, and study graphing. The main areas of study in Math Mammoth Grade 5 are:

- Multi-digit addition, subtraction, multiplication, and division (including division with two-digit divisors)
- Solving problems involving all four operations;
- The place value system, including decimal place value
- All four operations with decimals and conversions between measurements;
- The coordinate system and line graphs;
- Addition, subtraction, and multiplication of fractions; division of fractions in special cases;
- Geometry: volume and categorizing two-dimensional figures (especially triangles);

The year starts out with a study of the basic operations, some algebraic concepts, and primes and divisibility. In chapter 2, we go on to study place value, large numbers, and the usage of the calculator.

In chapter 3, students solve simple equations with the help of a pan balance. Then they learn to solve a variety of word problems using the bar model as a visual aid.

Chapter 4 is all about decimals and decimal arithmetic. Several lessons here focus on mental math strategies based on place value.

The last chapter in this part A is on graphing. Students encounter the coordinate plane and simple number patterns that are plotted as points on the grid. They also plot and read line graphs.

In part 5-B, students study more decimal arithmetic, all fraction operations, and geometry.

I heartily recommend that you read the full user guide in the following pages.

*I wish you success in teaching math!*

*Maria Miller, the author*



---

# User Guide

Note: You can also find the information that follows online, at <https://www.mathmammoth.com/userguides/>.

## Basic principles in using Math Mammoth Complete Curriculum

Math Mammoth is mastery-based, which means it concentrates on a few major topics at a time, in order to study them in depth. The two books (parts A and B) are like a “framework”, but you still have a lot of liberty in planning your child’s studies. You can even use it in a *spiral* manner, if you prefer. Simply have your student study in 2-3 chapters simultaneously. In fifth grade, chapter 4 should be studied before chapter 6, and chapter 7 before chapter 8, but you can be flexible with the other chapters and schedule them earlier or later.

Math Mammoth is not a scripted curriculum. In other words, it is not spelling out in exact detail what the teacher is to do or say. Instead, Math Mammoth gives you, the teacher, various tools for teaching:

- **The two student worktexts** (parts A and B) contain all the lesson material and exercises. They include the explanations of the concepts (the teaching part) in blue boxes. The worktexts also contain some advice for the teacher in the “Introduction” of each chapter.

The teacher can read the teaching part of each lesson before the lesson, or read and study it together with the student in the lesson, or let the student read and study on his own. If you are a classroom teacher, you can copy the examples from the “blue teaching boxes” to the board and go through them on the board.

- There are hundreds of **videos** matched to the curriculum available at <https://www.mathmammoth.com/videos/>. There isn’t a video for every lesson, but there are dozens of videos for each grade level. You can simply have the author teach your child or student!
- Don’t automatically assign all the exercises. Use your judgment, trying to assign just enough for your student’s needs. You can use the skipped exercises later for review. For most students, I recommend to start out by assigning about half of the available exercises. Adjust as necessary.
- For each chapter, there is a **link list to various free online games** and activities. These games can be used to supplement the math lessons, for learning math facts, or just for some fun. Each chapter introduction (in the student worktext) contains a link to the list corresponding to that chapter.
- The student books contain some **mixed review lessons**, and the curriculum also provides you with additional **cumulative review lessons**.
- There is a **chapter test** for each chapter of the curriculum, and a comprehensive end-of-year test.
- The **worksheet maker** allows you to make additional worksheets for most calculation-type topics in the curriculum. This is a single html file. You will need Internet access to be able to use it.
- You can use the free online exercises at <https://www.mathmammoth.com/practice/>. This is an expanding section of the site, so check often to see what new topics we are adding to it!
- Some grade levels have **cut-outs** to make fraction manipulatives or geometric solids.
- And of course there are answer keys to everything.

## How to get started

Have ready the first lesson from the student worktext. Go over the first teaching part (within the blue boxes) together with your child. Go through a few of the first exercises together, and then assign some problems for your child to do on their own.

**Sample worksheet from**  
<https://www.mathmammoth.com>

Repeat this if the lesson has other blue teaching boxes. Naturally, you can also use the videos at <https://www.mathmammoth.com/videos/>

Many students can eventually study the lessons completely on their own — the curriculum becomes self-teaching. However, students definitely vary in how much they need someone to be there to actually teach them.

## Pacing the curriculum

Each chapter introduction contains a suggested pacing guide for that chapter. You will see a summary on the right. (This summary does not include time for optional tests.)

Most lessons are 2 or 3 pages long, intended for one day. Some lessons are 4-5 pages and can be covered in two days. There are also some optional lessons (not included in the tables on the right).

It can also be helpful to calculate a general guideline as to how many pages per week the student should cover in order to go through the curriculum in one school year.

Worktext 5-A	
Chapter 1	21 days
Chapter 2	12 days
Chapter 3	9 days
Chapter 4	18 days
Chapter 5	11 days
<b>TOTAL</b>	<b>71 days</b>

Worktext 5-B	
Chapter 6	22 days
Chapter 7	18 days
Chapter 8	20 days
Chapter 9	12 days
<b>TOTAL</b>	<b>72 days</b>

The table below lists how many pages there are for the student to finish in this particular grade level, and gives you a guideline for how many pages per day to finish, assuming a 180-day (36-week) school year. The page count in the table below *includes* the optional lessons.

### Example:

Grade level	School days	Days for tests and reviews	Lesson pages	Days for the student book	Pages to study per day	Pages to study per week
5-A	89	10	176	79	2.23	11.1
5-B	91	10	182	81	2.25	11.2
Grade 5 total	180	20	358	160	2.24	11.2

The table below is for you to fill in. Allow several days for tests and additional review before tests — I suggest at least twice the number of chapters in the curriculum. Then, to get a count of “pages to study per day”, **divide the number of lesson pages by the number of days for the student book**. Lastly, multiply this number by 5 to get the approximate page count to cover in a week.

Grade level	Number of school days	Days for tests and reviews	Lesson pages	Days for the student book	Pages to study per day	Pages to study per week
5-A			176			
5-B			182			
Grade 5 total			358			

Now, something important. Whenever the curriculum has lots of similar practice problems (a large set of problems), feel free to **only assign 1/2 or 2/3 of those problems**. If your student gets it with less amount of exercises, then that is perfect! If not, you can always assign the rest of the problems for some other day. In fact, you could even use these unassigned problems the next week or next month for some additional review.

In general, 1st-2nd graders might spend 25-40 minutes a day on math. Third-fourth graders might spend 30-60 minutes a day. Fifth-sixth graders might spend 45-75 minutes a day. If your student finds math enjoyable, they can of course spend more time with it! However, it is not good to drag out the lessons on a regular basis, because that can have a negative effect on the student's attitude towards math.

## Working space, the usage of additional paper and mental math

The curriculum generally includes working space directly on the page for students to work out the problems. However, feel free to let your students to use extra paper when necessary. They can use it, not only for the “long” algorithms (where you line up numbers to add, subtract, multiply, and divide), but also to draw diagrams and pictures to help organize their thoughts. Some students won’t need the additional space (and may resist the thought of extra paper), while some will benefit from it. Use your discretion.

Some exercises don’t have any working space, but just an empty line for the answer (e.g.  $200 + \underline{\quad} = 1,000$ ). Typically, I have intended that such exercises to be done using MENTAL MATH.

However, there are some students who struggle with mental math (often this is because of not having studied and used it in the past). As always, the teacher has the final say (not me!) as to how to approach the exercises and how to use the curriculum. We do want to prevent extreme frustration (to the point of tears). The goal is always to provide SOME challenge, but not too much, and to let students experience success enough so that they can continue enjoying learning math.

Students struggling with mental math will probably benefit from studying the basic principles of mental calculations from the earlier levels of Math Mammoth curriculum. To do so, look for lessons that list mental math strategies. They are taught in the chapters about addition, subtraction, place value, multiplication, and division. My article at [https://www.mathmammoth.com/lessons/practical\\_tips\\_mental\\_math](https://www.mathmammoth.com/lessons/practical_tips_mental_math) also gives you a summary of some of those principles.

## Using tests

For each chapter, there is a **chapter test**, which can be administered right after studying the chapter. **The tests are optional.** Some families might prefer not to give tests at all. The main reason for the tests is for diagnostic purposes, and for record keeping. These tests are not aligned or matched to any standards.

In the digital version of the curriculum, the tests are provided both as PDF files and as html files. Normally, you would use the PDF files. The html files are included so you can edit them (in a word processor such as Word or LibreOffice), in case you want your student to take the test a second time. Remember to save the edited file under a different file name, or you will lose the original.

The end-of-year test is best administered as a diagnostic or assessment test, which will tell you how well the student remembers and has mastered the mathematics content of the entire grade level.

## Using cumulative reviews and the worksheet maker

The student books contain mixed review lessons which review concepts from earlier chapters. The curriculum also comes with additional cumulative review lessons, which are just like the mixed review lessons in the student books, with a mix of problems covering various topics. These are found in their own folder in the digital version, and in the Tests & Cumulative Reviews book in the print version.

The cumulative reviews are optional; use them as needed. They are named indicating which chapters of the main curriculum the problems in the review come from. For example, “Cumulative Review, Chapter 4” includes problems that cover topics from chapters 1-4.

Both the mixed and cumulative reviews allow you to spot areas that the student has not grasped well or has forgotten. When you find such a topic or concept, you have several options:

1. Check if the worksheet maker lets you make worksheets for that topic.
2. Check for any online games and resources in the Introduction part of the particular chapter in which this topic or concept was taught.

3. If you have the digital version, you could simply reprint the lesson from the student worktext, and have the student reread that.
4. Perhaps you only assigned 1/2 or 2/3 of the exercise sets in the student book at first, and can now use the remaining exercises.
5. Check if our online practice area at <https://www.mathmammoth.com/practice/> has something for that topic.
6. Khan Academy has free online exercises, articles, and videos for most any math topic imaginable.

### Concerning challenging word problems and puzzles

While this is not absolutely necessary, I heartily recommend supplementing Math Mammoth with challenging word problems and puzzles. You could do that once a month, for example, or more often if the student enjoys it.

The goal of challenging story problems and puzzles is to **develop the student's logical and abstract thinking and mental discipline**. I recommend starting these in fourth grade, at the latest. Then, students are able to read the problems on their own and have developed mathematical knowledge in many different areas. Of course I am not discouraging students from doing such in earlier grades, either.

Math Mammoth curriculum contains lots of word problems, and they are usually multi-step problems. Several of the lessons utilize a bar model for solving problems. Even so, the problems I have created are usually tied to a specific concept or concepts. I feel students can benefit from solving problems and puzzles that require them to think "out of the box" or are just different from the ones I have written.

I recommend you use the free Math Stars problem-solving newsletters as one of the main resources for puzzles and challenging problems:

**Math Stars Problem Solving Newsletter (grades 1-8)**

<https://www.homeschoolmath.net/teaching/math-stars.php>

I have also compiled a list of other resources for problem solving practice, which you can access at this link:

<https://l.mathmammoth.com/challengingproblems>

Another idea: you can find puzzles online by searching for "brain puzzles for kids," "logic puzzles for kids" or "brain teasers for kids."

### Frequently asked questions and contacting us

If you have more questions, please first check the FAQ at <https://www.mathmammoth.com/faq-lightblue>

If the FAQ does not cover your question, you can then contact us using the contact form at the Math Mammoth.com website.



# Chapter 1: The Four Operations

## Introduction

We start fifth grade by studying the four basic operations. The topics include the order of operations, simple equations and expressions, long multiplication, long division, divisibility, primes, and factoring.

The main line of thought in the beginning portion of the chapter is that of a mathematical *expression*. In mathematics, an expression consists of numbers, letters, and operation symbols, but does not contain an equal sign (an equation does). Students determine which expression matches the given word problem, and write simple expressions for word problems, using the correct order of operations. Thus, they are learning how to represent a situation symbolically, which is a very important step in using mathematics to solve problems.

We also briefly study the concept of an equation, and students solve simple equations in several lessons.

Next, we review multi-digit multiplication, starting with partial products (including a geometric visualization), and then going on to the standard multiplication algorithm with more digits than in 4th grade.

Then it is time for long division, especially practicing long division with two-digit divisors. We also study why long division works, in the optional lesson *Long Division and Repeated Subtraction*. You can use the lesson as time allows and according to student interest. Throughout the lessons there are also word problems to solve.

The lessons for long multiplication often ask the student to estimate the answer before calculating. The lessons for long division ask for the student to check the answer by multiplying. Both of these methods serve the same purpose: to help them gauge whether the calculation is correct. Too often, students simply calculate something and hurry on by, without paying attention to their own work. We need to foster in them a sense of carefulness with calculations, and the habit of checking one’s own work for accuracy. If necessary, assign less problems (especially similar calculations) so that students have time to think about and check their answers.

Lastly, we study the topics of divisibility, primes, and factoring. Students review or learn the common divisibility rules for 2, 3, 4, 5, 6, 9, and 10. In prime factorization, we use factor trees. The topic of finding factors is review from 4th grade. Prime factorization is a new topic; it is also studied in 6th grade.

Although the chapter is named “The Four Operations,” the idea is not to practice each of the four operations separately, but rather to see how they are used together in solving problems and in simple equations. We are developing the students’ *algebraic thinking*, including the abilities to: translate problems into mathematical operations, comprehend the many operations needed to yield an answer to a problem, and “undo” operations.

### Pacing Suggestion for Chapter 1

This table does not include the chapter test as it is found in a different book (or file). Please add one day to the pacing for the test if you will use it.

The Lessons in Chapter 1	page	span	suggested pacing	your pacing
* Warm Up: Mental Math .....	13	2 pages	1 day	
The Order of Operations .....	15	2 pages	1 day	
Equations .....	17	2 pages	1 day	
Review: Addition and Subtraction .....	19	3 pages	1 day	
Review: Multiplication and Division .....	22	3 pages	1 day	
Partial Products, Part 1 .....	25	3 pages	1 day	
Partial Products, Part 2 .....	28	3 pages	1 day	
The Multiplication Algorithm .....	31	5 pages	2 days	
More Multiplication .....	36	5 pages	2 days	

The Lessons in Chapter 1	page	span	suggested pacing	your pacing
Review of Long Division .....	41	3 pages	1 day	
A Two-Digit Divisor .....	44	3 pages	1 day	
More Long Division .....	47	4 pages	1 day	
Division with Mental Math .....	51	3 pages	1 day	
Long Division and Repeated Subtraction (optional) .....	53	(5 pages)	(2 days)	
* Divisibility and Factors .....	58	3 pages	1 day	
* More on Divisibility .....	61	2 pages	1 day	
* Primes and Finding Factors .....	63	3 pages	1 day	
* Prime Factorization .....	66	5 pages	2 days	
Chapter 1 Review .....	71	3 pages	1 day	
Chapter 1 Test (optional)				
<b>TOTALS</b>		57 pages	21 days	
with optional content		(62 pages)	(23 days)	

\* These lessons considerably exceed the Common Core Standards (CCS) for 5th grade. Finding factors (and thus divisibility) is a 4th grade topic in the CCS. Primes are not mentioned in the CCS for any grade; I just consider them to be too important to completely omit.


## Helpful Resources on the Internet

We have compiled a list of Internet resources that match the topics in this chapter, including pages that offer:

- **online practice** for concepts;
- online **games**, or occasionally, printable games;
- **animations** and interactive **illustrations** of math concepts;
- **articles** that teach a math concept.

We heartily recommend you take a look! Many of our customers love using these resources to supplement the bookwork. You can use these resources as you see fit for extra practice, to illustrate a concept better and even just for some fun. Enjoy!

<https://l.mathmammoth.com/gr5ch1>



Sample worksheet from  
<https://www.mathmammoth.com>

## Warm-up: Mental Math

<p><b>Add in parts.</b></p> <p><math>57 + 34 = ?</math></p> <p>Add the tens: <math>50 + 30 = 80</math>.            Add the ones: <math>7 + 4 = 11</math>.            Lastly, add the two sums: <math>80 + 11 = 91</math>.</p>	<p><b>Use rounded numbers, then correct the error.</b></p> <p><math>29 + 18 = ?</math></p> <p>29 is close to 30, and 18 is close to 20.  <math>30 + 20 = 50</math>. But that is 3 too many,            so the correct answer is 47.</p>
<p><b>Subtract in parts.</b></p> <p><math>81 - 34 = ?</math></p> <p>Subtract 30 first: <math>81 - 30 = 51</math>.            Then subtract four: <math>51 - 4 = 47</math>.</p>	<p><b>Use rounded numbers, then correct the error.</b></p> <p><math>75 - 39 = ?</math></p> <p>39 is close to 40, so subtract <math>75 - 40 = 35</math>.            You subtracted one too many, so add one to            get the correct answer 36.</p>

1. Add and subtract using the tricks explained above.

<p><b>a.</b></p> <p><math>19 + 19 = \underline{\quad}</math></p> <p><math>28 + 47 = \underline{\quad}</math></p>	<p><b>b.</b></p> <p><math>19 + 19 + 57 = \underline{\quad}</math></p> <p><math>44 + 12 + 29 = \underline{\quad}</math></p>	<p><b>c.</b></p> <p><math>100 + 200 + 2,000 + 5,500 = \underline{\quad}</math></p> <p><math>400 + 12,000 + 5,000 + 320 = \underline{\quad}</math></p>
<p><b>d.</b></p> <p><math>33 - 17 = \underline{\quad}</math></p> <p><math>81 - 47 = \underline{\quad}</math></p>	<p><b>e.</b></p> <p><math>34 - 19 + 12 = \underline{\quad}</math></p> <p><math>85 - 12 + 55 = \underline{\quad}</math></p>	<p><b>f.</b></p> <p><math>1,500 - 250 - 250 = \underline{\quad}</math></p> <p><math>400 - 7 - 40 - 100 = \underline{\quad}</math></p>

2. A track has four legs of different lengths: (a) 1 km 200 m, (b) 700 m, (c) 1 km 500 m, and (d) 900 m. What is the total length of the track?

*Hint: "kilo" in kilometer refers to one thousand.*

3. A cold front just arrived, and the temperature dropped 14 degrees. It is now  $74^{\circ}\text{F}$ . How hot was it before?
4. Four crates of apples weigh a total of 56 kg. The first one weighs 12 kg, the second one 15 kg, and the third one 22 kg. Find the weight of the fourth crate of apples.
5. Solve in your head.

<p><b>a.</b> <math>127 + \underline{\quad} = 200</math></p>	<p><b>b.</b> <math>250 + \underline{\quad} + 300 = 760</math></p>	<p><b>c.</b> <math>\underline{\quad} - 34 = 56</math></p>
---	---	---

(This page intentionally left blank.)

# The Multiplication Algorithm

An *algorithm* is a step-by-step method for solving a particular kind of problem.

In this lesson we practice **the standard multiplication algorithm**, which you already know from 4th grade.

This algorithm is based on multiplying in parts. For example,  $7 \times 648$  is done in three parts:  $7 \times 600$ ,  $7 \times 40$ , and  $7 \times 8$ . At each step, you may need to regroup and add.

$$\begin{array}{r} 648 \\ \times 7 \\ \hline \end{array}$$

$7 \times 8 = 56$

$$\begin{array}{r} 648 \\ \times 7 \\ \hline \end{array}$$

$7 \times 4 + 5 = 33$

$$\begin{array}{r} 648 \\ \times 7 \\ \hline \end{array}$$

$7 \times 6 + 3 = 45$

1. Review your multiplication skills.

a. 
$$\begin{array}{r} 415 \\ \times 8 \\ \hline \end{array}$$

b. 
$$\begin{array}{r} 877 \\ \times 8 \\ \hline \end{array}$$

c. 
$$\begin{array}{r} 1752 \\ \times 7 \\ \hline \end{array}$$

d. 
$$\begin{array}{r} 2615 \\ \times 4 \\ \hline \end{array}$$

The process is the same with more digits. Study the example.

$$\begin{array}{r} 61359 \\ \times 5 \\ \hline \end{array}$$

$5 \times 9 = 45$

$$\begin{array}{r} 61359 \\ \times 5 \\ \hline \end{array}$$

$5 \times 5 + 4 = 29$

$$\begin{array}{r} 61359 \\ \times 5 \\ \hline \end{array}$$

$5 \times 3 + 2 = 17$

$$\begin{array}{r} 61359 \\ \times 5 \\ \hline \end{array}$$

$5 \times 1 + 1 = 6$

$$\begin{array}{r} 61359 \\ \times 5 \\ \hline \end{array}$$

$5 \times 6 = 30$

2. Multiply 5- and 6-digit numbers.

a. 
$$\begin{array}{r} 17552 \\ \times 7 \\ \hline \end{array}$$

b. 
$$\begin{array}{r} 27805 \\ \times 3 \\ \hline \end{array}$$

c. 
$$\begin{array}{r} 144123 \\ \times 5 \\ \hline \end{array}$$

d. 
$$\begin{array}{r} 270814 \\ \times 3 \\ \hline \end{array}$$

e. 
$$\begin{array}{r} 51620 \\ \times 9 \\ \hline \end{array}$$

f. 
$$\begin{array}{r} 239313 \\ \times 4 \\ \hline \end{array}$$

**Estimate before you multiply.** Then compare your estimated result with the final result, and that way you may catch some gross errors.

$$3 \times 21,578 = ?$$

Round 21,578 in such a way that you can easily multiply in your head. It makes sense to round it to 22,000.

Estimate:  $3 \times 22,000 = 66,000$

The exact result is 64,734. The estimate is quite close.

$$\begin{array}{r} 1 \ 2 \ 2 \\ 2 \ 1 \ 5 \ 7 \ 8 \\ \times \qquad \qquad \ 3 \\ \hline 6 \ 4 \ 7 \ 3 \ 4 \end{array}$$

3. First estimate, by rounding the number in such a way that you can multiply in your head. Then multiply. Check that your final answer is reasonably close to your estimate.

a. **Estimate:**  $5 \times 8,871 \approx$  \_\_\_\_\_

**Calculate exactly:**

$$\begin{array}{r} 8 \ 8 \ 7 \ 1 \\ \times \qquad \qquad \ 5 \\ \hline \end{array}$$

b. **Estimate:**  $4 \times 22,399 \approx$  \_\_\_\_\_

**Calculate exactly:**

$$\begin{array}{r} 2 \ 2 \ 3 \ 9 \ 9 \\ \times \qquad \qquad \ 4 \\ \hline \end{array}$$

c. **Estimate:**  $7 \times 87,240$

$\approx$  \_\_\_\_\_

**Calculate exactly:**


d. **Estimate:**  $4 \times 212,788$

$\approx$  \_\_\_\_\_

**Calculate exactly:**


4. Jenny's estimate for the problem  $3 \times 173,039$  is quite far from her final answer. Figure out where Jenny makes an error or errors.

**Jenny's estimate:**

$$\begin{aligned} & 3 \times 173,039 \\ \approx & 3 \times 170,000 \\ = & 510,000 \end{aligned}$$

**Jenny's calculation:**

$$\begin{array}{r} 1 \ 2 \\ 1 \ 7 \ 3 \ 0 \ 3 \ 9 \\ \times \qquad \qquad \ 3 \\ \hline 4 \ 2 \ 9 \ 0 \ 1 \ 7 \end{array}$$

Multiplying with money amounts is done the same way as with whole numbers: we multiply as if there was no decimal point.

Continue the example on the right.

Lastly, put the decimal point in the answer to mark the two digits for the cents.

$$\begin{array}{r}
 \phantom{\$}214.\overset{4}{1}8 \\
 \times \phantom{\$} \phantom{00}5 \\
 \hline
 \phantom{\$}90
 \end{array}$$

5. Multiply.

a.

$$\begin{array}{r}
 \$22.72 \\
 \times \phantom{00}8 \\
 \hline
 \end{array}$$

b.

$$\begin{array}{r}
 \$81.50 \\
 \times \phantom{00}4 \\
 \hline
 \end{array}$$

c.

$$\begin{array}{r}
 \$345.25 \\
 \times \phantom{00}6 \\
 \hline
 \end{array}$$

d.

$$\begin{array}{r}
 \$712.90 \\
 \times \phantom{00}5 \\
 \hline
 \end{array}$$

6. Emma bought three tables for \$31.75 each, and paid with \$100. What was her change?

a. Write a **single expression** for this situation that includes two operations. Remember to consider the order of operations.

b. Find the answer (her change).

7. First estimate the total cost by rounding the price. Should you round it to the nearest dollar or to the nearest ten dollars? That depends on how well you can multiply in your head. Then find the exact cost.

a. Jack bought two train sets for \$56.55 each.

Estimate: \_\_\_\_\_


b. The rent is \$128.95 per month. What is the rent for 6 months?

Estimate: \_\_\_\_\_


(This page intentionally left blank.)



# Primes and Finding Factors

Let's now review how to find all the factors of a given number.

**Example 1.** Find all the factors of 92.

Now, it helps to be organized. Let's check if 92 is divisible by all the numbers from 1 to 10, and keep track of the factors we find.

- It *is* divisible by 1 (all numbers are):  $92 = 1 \times 92$ . So, **1** and **92** are factors of 92.
- It *is* divisible by 2:  $92 = 2 \times 46$ . So, here we find **2** and **46** both are factors of 92.
- It is *not* divisible by 3 (the digit sum is 11). It cannot be divisible by 6 or 9 since it was not by 3.
- It *is* divisible by 4, because we can skip-count from it and reach 100, which clearly is divisible by 4. We write  $92 = 4 \times 23$ . So, **4** and **23** are factors of 92.
- It is *not* divisible by 5 or by 10 as it does not end in 0 nor 5.
- Is it divisible by 7? No, because 84, 91, and 98 are.
- By 8? Skip-count from 80 by eights: 80, 88, and 96 are divisible by 8. So, 92 is not.

Our check is complete. So, we found 1, 2, 4, 23, 46, and 92. Those are all the factors of 92.

**Why do we not have to check if 92 is divisible by 11, 12, 13, and so on?**

If 92 was 11 times a number, it would be 11 times some *smaller* number than 11. We went through all the smaller numbers already and did not find that any of them times 11 would equal 92.

1. Find all the factors of the given numbers. Use the checklist; keep track of *all* the factors you find.

<p><b>a.</b> 26</p> <p>Check 1 2 3 4 5 6 7 8 9 10</p> <p>factors: _____</p>	<p><b>b.</b> 38</p> <p>Check 1 2 3 4 5 6 7 8 9 10</p> <p>factors: _____</p>
<p><b>c.</b> 88</p> <p>Check 1 2 3 4 5 6 7 8 9 10</p> <p>factors: _____</p>	<p><b>d.</b> 47</p> <p>Check 1 2 3 4 5 6 7 8 9 10</p> <p>factors: _____</p>
<p><b>e.</b> 71</p> <p>Check 1 2 3 4 5 6 7 8 9 10</p> <p>factors: _____</p>	<p><b>f.</b> 86</p> <p>Check 1 2 3 4 5 6 7 8 9 10</p> <p>factors: _____</p>

In this table, we show numbers from 2 through 10 and what numbers they are divisible by.

Some rows are highlighted, because those numbers have only two factors: 1 and the number itself.

Those numbers are called **prime numbers**, or just **primes**.

Prime numbers less than 10 are 2, 3, 5, and 7.

What is the next prime after 10?

Number	Divisible by:									
	1	2	3	4	5	6	7	8	9	10
2	x	x								
3	x		x							
4	x	x		x						
5	x				x					
6	x	x	x			x				
7	x						x			
8	x	x		x				x		
9	x		x						x	
10	x	x			x					x

**What about number 1?** Number 1 is *not* a prime. Please see the note at the end of the lesson to learn more.

2. For each number in the table, find all its factors. Note the numbers that only have two factors: one and the number itself. Those are primes.

Number	Factors
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	

3. Write a list of primes between 1 and 20: \_\_\_\_\_

Here is a list of primes between 20 and 50: 23, 29, 31, 37, 41, 43, 47.

4. (Optional) Visit <https://www.mathmammoth.com/practice/sieve-of-eratosthenes> for an interactive tool that will find primes using a sieving process.

**Why are primes so special?** Because it turns out that *every* whole number can be written as a multiplication, using primes only! This is called the prime factorization of a number.

For example,  $730 = 2 \times 5 \times 73$ . Each of the factors, 2, 5, and 73 are primes.

Or,  $2,904 = 2 \times 2 \times 2 \times 3 \times 11 \times 11$ .

And this factorization is unique for each number; there is no other way to do it.

This fact has important applications in computer security and cryptography.

5. a. Find a prime between 50 and 60.

b. Find a prime between 80 and 90.

a. Find a prime between 110 and 120.

**Puzzle Corner**

b. Number 24 has eight factors: 1, 2, 3, 4, 6, 8, 12, and 24.  
Find a number that has even more factors and is less than 40.

c. Find a number that is divisible by 3 and by 5 and has exactly eight factors.

### Is 1 a prime number?

Up until 1899, mathematicians listed 1 as a prime number. Since then, modern mathematics has excluded 1 from the list of primes. So in today's books, the list of primes starts from 2. However, even today, some mathematicians insist 1 is a prime.

When 1 is excluded, many theorems and results of mathematics can be written in a simpler way, but fundamentally, the idea of not listing 1 as a prime is a matter of convention and convenience.

Please see also:

<http://primefan.tripod.com/Prime1ProCon.html> - Arguments for and against the primality of 1

[https://en.wikipedia.org/wiki/Prime\\_number#Primality\\_of\\_one](https://en.wikipedia.org/wiki/Prime_number#Primality_of_one)


# Prime Factorization

**Prime numbers** have only two divisors: 1 and the number itself. If a number is not prime, it is a **composite number**. In the last lesson, we found that the primes less than 30 are **2, 3, 5, 7, 11, 13, 17, 19, 23, and 29**.

When you write a number as a product, you are **factoring** the number. For example, we can write 96 as  $96 = 3 \times 32$ , and we have factored 96. Another way to factor 96 is  $96 = 6 \times 4 \times 4$ . But now we will look at a very special way to factor a number: its **prime factorization**: a way to factor the number that will *only* use primes!

A **factor tree** is a handy way to factor composite numbers to their prime factors. The factor tree starts at the root and grows “upside down!”


We write 24 on top. First, 24 is written as  $4 \times 6$ . However, 4 and 6 are not primes, so we continue. Four is factored into  $2 \times 2$  and six is factored into  $2 \times 3$ .




We cannot factor 2 or 3 any further because they are prime numbers.

Once you get to primes in your “tree,” they are the “leaves” and you stop factoring in that “branch.” So the **prime factorization of 24 is:  $24 = 2 \times 2 \times 2 \times 3$** .


Examples of factoring some composite numbers:




5 is a prime number or a “leaf.” Once you’re done, “pick the leaves”—you can circle them to see them better! So,  $30 = 2 \times 3 \times 5$ .




OR




You can start the factoring process any way you want. The end result is the same:  $66 = 2 \times 3 \times 11$ .



Both 3 and 7 are prime numbers, so we cannot factor them any further.  $21 = 3 \times 7$ .




The only way to write 89 as a product of primes is  $1 \times 89$ . This means it is prime.



Seventy-two has lots of factors so the factoring takes many steps.

We get  $72 = 2 \times 2 \times 2 \times 3 \times 3$ .

We could have also started with  $72 = 2 \times 36$  or  $72 = 4 \times 18$ .



How do you get started?

- Check if 57 is in any of the times tables.
- Use divisibility tests to check if it is divisible by 2, 3, 4, 5, etc.



---

# Chapter 2: Large Numbers and the Calculator

## Introduction

In this chapter, we study large numbers and place value up to billions—that is, up to 12-digit numbers. Students will also add, subtract, and round large numbers, and learn about exponents and powers.

Concerning exponents and powers, the focus is on powers of ten (such as  $10^2$ ,  $10^5$ ,  $10^8$ , and so on), which is what the student should master in this grade level. If your student has difficulties with exponents in general, there is no need to worry. Exponents and powers are taught from scratch again in Math Mammoth grade 6.

Our number system is based on number 10, and it is *positional*: the place (location) of each digit matters in determining its value. Students have already learned quite a bit about place value. In this chapter, they will solidify their understanding of it. In particular, we examine multiplying numbers by powers of ten using a place value chart, and see how the common shortcut of tagging zeros to the end of a number actually has to do with the digits of the number *shifting* within the place value chart.

In this chapter, students will be introduced to the calculator for the first time, and therefore they will need a simple calculator (preferably a physical one). Some exercises may require the student to use a calculator on a computer or a phone, so as to fit more digits.

I have delayed the use of a calculator (as compared to many other math curricula) for a good reason. I have received numerous comments on the harm that indiscriminate calculator usage can cause. If children are allowed to use calculators freely, their minds get “lazy,” and they will start relying on calculators even for simple things such as  $6 \times 7$  or  $320 + 50$ . It is just human nature!

As a result, students may enter college without even knowing their multiplication tables by heart. Then they have trouble if they are required to use mental math to solve simple problems.

Therefore, we educators need to *limit* calculator usage until the students are much older. Children *cannot* decide this for themselves, and definitely not in fifth grade.

However, I realize that the calculator is very useful, and students do need to learn to use it. In this curriculum, I try to not only show the students how to use a calculator, but also *when* to use it and when *not* to use it.

This chapter includes many problems where calculator usage is appropriate. We also practice estimating the result before using a calculator to find the exact answer, and choosing whether mental math or a calculator is the best “tool” for the calculation.

From now on, the curriculum will show a little calculator symbol next to the exercises where I feel calculator usage is appropriate.

### Pacing Suggestion for Chapter 2

This table does not include the chapter test as it is found in a different book (or file). Please add one day to the pacing for the test if you will use it.

The Lessons in Chapter 2	page	span	suggested pacing	your pacing
A Little Bit of Millions .....	77	3 pages	1 day	
Exponents and Powers .....	80	3 pages	1 day	
The Place Value System .....	83	3 pages	1 day	
Multiplying Numbers by Powers of Ten .....	86	5 pages	2 days	

The Lessons in Chapter 2	page	span	suggested pacing	your pacing
* Adding and Subtracting Large Numbers .....	91	3 pages	1 day	
* Rounding .....	94	3 pages	2 days	
**The Calculator .....	97	3 pages	1 day	
**When to Use the Calculator .....	100	2 pages	1 day	
Mixed Review Chapter 2 .....	102	2 pages	1 day	
Chapter 2 Review .....	104	3 pages	1 day	
Chapter 2 Test (optional)				
<b>TOTALS</b>		30 pages	12 days	

\* These lessons cover concepts that in the Common Core Standards (CCS) belong to 4th grade. However, I feel they fit the context well, and can be good review, if nothing else.

\*\* Using a calculator is not a topic mentioned in the CCS, but it ties in very closely with the 5th standard of mathematical practices: Use appropriate tools strategically.


## Helpful Resources on the Internet

We have compiled a list of Internet resources that match the topics in this chapter, including pages that offer:

- **online practice** for concepts;
- online **games**, or occasionally, printable games;
- **animations** and interactive **illustrations** of math concepts;
- **articles** that teach a math concept.


We heartily recommend you take a look! Many of our customers love using these resources to supplement the bookwork. You can use these resources as you see fit for extra practice, to illustrate a concept better and even just for some fun. Enjoy!

<https://l.mathmammoth.com/gr5ch2>



# A Little Bit of Millions

<p>If you count by whole thousands... (<i>read the numbers aloud</i>)</p> <p style="text-align: right;"> <b>995,000</b>  <b>996,000</b>  <b>997,000</b>  <b>998,000</b>  <b>999,000</b> </p> <p style="text-align: right;">...what comes after 999 thousand?</p>	<p><b>1,000,000</b></p> <p><b>A thousand thousands!</b> <b>It is called ONE MILLION.</b></p>	
<p>How big is one million? You've seen a cube like this to illustrate one thousand. Now imagine that <i>each little cube</i> in it was a 1000-cube in itself.</p> <p>It's a lot! It is <math>1,000 \times 1,000</math> — a thousand copies of one thousand.</p> <p>A comma separates the millions places (digits) from the rest. After the millions, the rest of the number is read just like you have learned before.</p>		
<p><b>347,500,000</b></p> <p>347 million 500 thousand</p>	<p><b>19,020,000</b></p> <p>19 million 20 thousand</p>	<p><b>5,040,326</b></p> <p>5 million 40 thousand 326</p>



1. Continue the skip-counting patterns until you reach **one million**.

<p><b>a.</b></p> <p>500,000</p> <p>600,000</p>	<p><b>b.</b></p> <p>940,000</p> <p>950,000</p>	<p><b>c.</b></p> <p>999,600</p> <p>999,700</p>	<p><b>d.</b></p> <p>999,994</p> <p>999,995</p>
--	--	--	--

2. Write the numbers.

a. 18 million

			,			,			
--	--	--	---	--	--	---	--	--	--

b. 906 million

			,			,			
--	--	--	---	--	--	---	--	--	--

c. 2 million 400 thousand

			,				,		
--	--	--	---	--	--	--	---	--	--

d. 70 million 90 thousand

			,				,		
--	--	--	---	--	--	--	---	--	--





7. Match.

**a.****b.**

1/2 million                      100,000

two hundred thousand        1,000,000

1/10 million                    500,000

 $2 \times 500,000$                 10,000,000

ten million                      200,000

1 million – 50,000            945,000

1 million – 500,000         500,000

1 million – 5,000             950,000

1 million – 555,000         995,000

1 million – 55,000            445,000

8. Compare and write  $<$  or  $>$  between the numbers.

<b>a.</b> 6,111,050 <input type="checkbox"/> 5,990,099	<b>b.</b> 2,223,020 <input type="checkbox"/> 2,222,322	<b>c.</b> 192,130,659 <input type="checkbox"/> 192,130,961
<b>d.</b> 18,000,000 <input type="checkbox"/> 181,000	<b>e.</b> 13,395,090 <input type="checkbox"/> 13,539,099	<b>f.</b> 2,367,496 <input type="checkbox"/> 988,482
<b>g.</b> 6,009,056 <input type="checkbox"/> 6,090,045	<b>h.</b> 1,000,999 <input type="checkbox"/> 1,001,000	<b>i.</b> 17,199,066 <input type="checkbox"/> 71,857,102

9. Find five large numbers in a newspaper or a news website with the help of an adult.  
Write the numbers here.

10. (Optional) A project with large numbers. Choose one of the options below, or one of your own. Use an encyclopedia, the Internet, or some other source, and make a list *in descending order*—that is, from the largest number to the smallest in order:

- of the United States Western states and their populations
- of Asian countries and their populations
- of the number of monthly visitors to a large amusement park
- of the United States Midwest states and their land areas

# Exponents and Powers

An exponent is used to signify repeated multiplication. For example, the expression  $5^6$  (“five to the sixth power”) simply means we multiply number 5 by itself, repeatedly, six times:

$$5^6 = 5 \times 5 \times 5 \times 5 \times 5 \times 5$$

The number 5 is called the **base**. It tells us what number we are multiplying repeatedly. The little raised number is the **exponent**, and it tells us how many times the number is repeatedly multiplied.

**Example 1.**  $2^4$  means  $2 \times 2 \times 2 \times 2$ . It is read as “two to the fourth power.” Its value is 16.

**Example 2.**  $9^2$  means  $9 \times 9$  and is commonly read as “nine squared” (think of the area of a square with side length 9). Similarly,  $11^2$  is read as “eleven squared”. (What is its value?)



**Example 3.**  $4^3$  means  $4 \times 4 \times 4$  and is commonly read as “four cubed” (because of the volume of a cube with edges 4 units). Similarly,  $10^3$  is read as “ten cubed”. (What is its value?)

1. Write using exponents, and solve.



a.  $4 \times 4 \times 4 =$     $=$  \_\_\_\_\_

b. eight squared  $=$     $=$  \_\_\_\_\_



c.  $10 \times 10 \times 10 =$     $=$  \_\_\_\_\_

d.  $1 \times 1 \times 1 \times 1 \times 1 =$     $=$  \_\_\_\_\_

e. five cubed  $=$     $=$  \_\_\_\_\_

f. two to the fifth power  $=$     $=$  \_\_\_\_\_

g.  $3 \times 3 \times 3 \times 3 =$     $=$  \_\_\_\_\_

h. zero to the tenth power  $=$     $=$  \_\_\_\_\_

2. Multiplication is repeated addition, and a power is repeated multiplication. Compare.

a.  $2 + 2 + 2 + 2 = 4 \times 2 =$  \_\_\_\_\_

$2 \times 2 \times 2 \times 2 =$     $=$  \_\_\_\_\_

b.  $5 + 5 + 5 =$  \_\_\_  $\times$  \_\_\_  $=$  \_\_\_\_\_

$5 \times 5 \times 5 =$     $=$  \_\_\_\_\_

3. Read the powers aloud. Then find their values.

a.  $5^2 =$

c.  $3^3 =$

e.  $1^6 =$

b.  $2^3 =$

d.  $7^2 =$

f.  $0^7 =$

**Powers of ten** are expressions where the number **10 is multiplied by itself**. For example, 100 is a power of ten because it is  $10 \times 10$  or  $10^2$ . Or, 100,000 is a power of ten because it is 10 multiplied by itself, five times ( $10^5$ ).

4. Write these powers of ten as normal numbers. Notice there is a shortcut and a pattern!

a.  $10^2 =$  \_\_\_\_\_

d.  $10^5 =$  \_\_\_\_\_

b.  $10^3 =$  \_\_\_\_\_

e.  $10^6 =$  \_\_\_\_\_

c.  $10^4 =$  \_\_\_\_\_

f.  $10^7 =$  \_\_\_\_\_

**SHORTCUT:** In a power of ten, the exponent tells us how many \_\_\_\_\_ the number has after the digit 1.

**Example 4.** Let's say a child asked you how much in total is five \$100-bills. You would think that's easy—the total is five hundred dollars! In symbols,  $5 \times 10^2 = 500$ .

Similarly, seven copies of (or seven times) one million equals seven million.

In symbols,  $7 \times 1,000,000 = 7,000,000$  or  $7 \times 10^6 = 7,000,000$ .

5. Fill in.

a. nine copies of a hundred thousand

\_\_\_\_  $\times$  \_\_\_\_\_ = \_\_\_\_\_

b. eight copies of ten thousand

\_\_\_\_  $\times$  \_\_\_\_\_ = \_\_\_\_\_

c.  $5 \times 10^4 =$  \_\_\_\_\_

d.  $7 \times 10^6 =$  \_\_\_\_\_


e.  $3 \times 10^8 =$  \_\_\_\_\_


6. Study the patterns in these powers of ten, and fill in the missing parts.


a.  $10 \times 10^2 = \underline{1,000}$

$10 \times 10 \times 10^2 =$  \_\_\_\_\_

$10 \times 10 \times 10 \times 10^2 =$  \_\_\_\_\_

b.  $10 \times 10^3 =$  \_\_\_\_\_  $= 10$  

$100 \times 10^3 =$  \_\_\_\_\_  $= 10$  

$1,000 \times 10^3 =$  \_\_\_\_\_  $= 10$  

c. \_\_\_\_\_  $\times 10^3 = 100,000$

\_\_\_\_\_  $\times 10^4 = 100,000$

\_\_\_\_\_  $\times 10^4 = 1,000,000$

d. \_\_\_\_\_  $\times 10^5 = 1,000,000$

\_\_\_\_\_  $\times 10^5 = 100,000,000$

\_\_\_\_\_  $\times 10^3 = 10,000,000$

7. Multiply a number times a power of ten. Compare the problems in each box.

<b>a.</b> $5 \times 100 =$ _____ $16 \times 100 =$ _____	<b>b.</b> $6 \times 10^3 =$ _____ $23 \times 10^3 =$ _____	<b>c.</b> $3 \times 10^4 =$ _____ $89 \times 10^4 =$ _____
<b>d.</b> $9 \times 10^5 =$ _____ $19 \times 10^5 =$ _____	<b>e.</b> $3 \times 10^7 =$ _____ $32 \times 10^7 =$ _____	

8. Luke says that  $10^7$  is three times as big as  $10^4$ . Is he correct?

Explain why or why not.

9. Find the missing exponent or the entire power of ten.

<b>a.</b> $6 \times 10^{\square} = 6,000$ $71 \times 10^{\square} = 71,000,000$	<b>b.</b> $3 \times 10^{\square} = 300,000$ $9 \times 10^{\square} = 90,000,000$	<b>c.</b> $56 \times \square^{\square} = 560,000$ $295 \times \square^{\square} = 2,950,000,000$
--	---	---

10. Astronomy involves some really big numbers. Write these numbers in the normal manner.

Pluto's surface area is about  $17 \times 10^6 \text{ km}^2$ .

The sun's average distance from Earth is  $15 \times 10^7 \text{ km}$ .

Haumea is a dwarf planet located beyond Neptune's orbit.

The mass of Haumea is about  $4 \times 10^{21} \text{ kg}$ .

Some challenges. Can you find a shortcut?

**Puzzle Corner**

**a.**  $10^3 \times 10^2 =$  \_\_\_\_\_

**b.**  $5 \times 10^2 \times 10^4 =$  \_\_\_\_\_

**c.**  $10^5 \times 10^3 =$  \_\_\_\_\_

**d.**  $8 \times 10^4 \times 2 \times 10^3 =$  \_\_\_\_\_

**e.**  $10^6 \times 10^2 \times 10^2 = 10^{\square}$

**f.**  $10^3 \times 10^5 \times 10^2 \times 10^4 = 10^{\square}$

# The Place Value System


The number system we use is based on number ten, and it is a *positional* number system. This means that the position or **place** of each digit has to do with its value.

The **place** of a digit is its **location** within the number.

For example, in the number on the right, the digit 9 is in the ten millions place, and the digit 4 is in the hundred millions place.

In what place is digit 5? Digit 7?

Notice how the number ten has to do with these *places*. You see powers of ten at work! That is why our number system is a *base ten* system.



We group the digits of large numbers into groups of three. These groupings are called "periods," and they make it easy to read large numbers. Simply read each three digits as if it were a *number by itself*, and at the commas, say the word "billion," "million," and "thousand."

- A thousand thousands makes a million. What about a thousand millions? What do we call it? Also, write this number. Write it also using an exponent.
- Arrange the digits of each number into groups of three with commas. Then read each number.
  - 39204848486
  - 490255549632
  - 2843729584
  - 45038300820
  - 9000004000
  - 915008360000
- Write the numbers. You will need to use zeros; be careful!
  - 159 billion 372 million 932 thousand 2 =
  - 7 billion 372 million 40 thousand 20 =
  - 57 billion 430 million 200 =
  - 607 billion 43 thousand 17 =
  - 372 million 150 =
  - 4 billion 901 thousand =

What is the **value** of a digit?

In the base ten system, each digit is **multiplied by a certain power of ten**, and this is its value.

This power of ten comes from the *place* of the digit.

For example, in 3,065,820, the digit **6** is in the *ten thousands* place. Its value is **6** times *ten thousand*, or 60,000.

Here's a trick: If you set all the *other* digits in the number to zero, you will see the digit's value. See the chart.

	o	h	t	o	h	t	o
	3	0	6	5	8	2	0

The value of the digit 3 is 

3	0	0	0	0	0	0	0
---	---	---	---	---	---	---	---

The value of the digit 6 is 

	6	0	0	0	0	0	0
--	---	---	---	---	---	---	---

The value of the digit 5 is 

		5	0	0	0	0	0
--	--	---	---	---	---	---	---

The value of the digit 8 is 

			8	0	0	0	0
--	--	--	---	---	---	---	---

The value of the digit 2 is 

				2	0	0	0
--	--	--	--	---	---	---	---

*If you add all these, ↑ you will get the number itself!*


(The “h”, “t”, “o” refer to hundreds, tens, and ones.)

4. Consider the number 16,380,502. Use the chart to help you if you'd like. In that number...

a. What is the value of digit 5?

b. What is the value of digit 8?

c. What is the value of digit 1?



5. In what place is the underlined digit? What is its value? You can use the charts to help you.

<p>a. 293,4<u>7</u>6,020</p> <p>Place: <u>ten thousands place</u></p> <p>Value: _____</p>	<p>b. 3,29<u>9</u>,005,392</p> <p>Place: _____</p> <p>Value: _____</p>
<p>c. <u>2</u>8,837,402,000</p> <p>Place: _____</p> <p>Value: _____</p>	<p>d. 2<u>9</u>3,476,020</p> <p>Place: _____</p> <p>Value: _____</p>
<p>e. 3,<u>2</u>99,005,392</p> <p>Place: _____</p> <p>Value: _____</p>	<p>f. 28,837,4<u>3</u>2,000</p> <p>Place: _____</p> <p>Value: _____</p>



ten thousands      thousands      ones



billions      millions      thousands      ones

(This page intentionally left blank.)



# Chapter 3: Problem Solving

## Introduction

We start out this chapter by studying simple equations, presented as pan balance puzzles. The pan balance works very well for modeling the process of solving equations. In the second lesson, students use the bar model to help them solve equations. The equations on this level are very simple. More complex equations are presented in grades 6 and especially in grade 7 (pre-algebra).

The bulk of this chapter is then spent on the topic of problem solving, focusing on problems that involve a fractional part of a whole in some manner.

These lessons teach students to draw a visual bar model for the problems. The bar model is a very good tool to help students conceptualize and solve problems that otherwise they might need an algebraic equation for. At the same time, using the bar model helps the students develop algebraic thinking. Essentially, one block in the bar model corresponds to the unknown  $x$  in an equation.

Encourage students to plan a solution for a problem before starting the solution, instead of simply jumping in without much thinking. Also, the problems in these lessons give a good opportunity to teach students to check their final answer: does it make sense? Does it fit with what the problem states?

Many students are afraid of word problems. That doesn't have to be. One key is to get students used to solving problems and allow them enough practice at the right difficulty level. Another important factor is that we educators don't "chastise" students for errors or put down errors. Just the opposite — an error should be seen as a great opportunity for learning. In fact, brain research has proven that our brains grow and make new connections when we think about a mistake we made!

When a student has made a mistake, you can ask, "Can you show me how you got your answer?", and not even say there was a mistake. As they explain their thought process, you can help them, or they might notice the error themselves.

### Pacing Suggestion for Chapter 3

This table does not include the chapter test as it is found in a different book (or file). Please add one day to the pacing for the test if you will use it.

The Lessons in Chapter 3	page	span	suggested pacing	your pacing
* Balance Problems and Equations, Part 1 .....	109	3 pages	1 day	
* Balance Problems and Equations, Part 2 .....	112	3 pages	1 day	
Problem Solving with Bar Models 1 .....	115	3 pages	1 day	
Problem Solving with Bar Models 2 .....	118	2 pages	1 day	
Problem Solving with Bar Models 3 .....	120	2 pages	1 day	
Problem Solving with Bar Models 4 .....	122	2 pages	1 day	
Miscellaneous Problems .....	124	2 pages	1 day	
Mixed Review Chapter 3 .....	126	2 pages	1 day	
Chapter 3 Review .....	128	3 pages	1 day	
Chapter 3 Test (optional)				
<b>TOTALS</b>		22 pages	9 days	

\* These lessons considerably exceed the Common Core Standards for 5th grade.


## Helpful Resources on the Internet

We have compiled a list of Internet resources that match the topics in this chapter, including pages that offer:

- **online practice** for concepts;
- online **games**, or occasionally, printable games;
- **animations** and interactive **illustrations** of math concepts;
- **articles** that teach a math concept.

We heartily recommend you take a look! Many of our customers love using these resources to supplement the bookwork. You can use these resources as you see fit for extra practice, to illustrate a concept better and even just for some fun. Enjoy!

<https://l.mathmammoth.com/gr5ch3>



# Balance Problems and Equations 1

Here you see a pan balance, or scales, and some things on both pans. Each rectangle represents an unknown (and “weighs” the same, or has the same value).

Since the balance is *balanced* (neither pan is going down—they are level with each other), the two sides (pans) of the scales weigh the same.

This portrays a mathematical equation: what is in the left pan equals what is in the right pan. (Things in the same pan are simply added.)


The equation is:

$$5 + \square + \square = 11$$


(If it helps you, you can think of kilograms or pounds.)

When we figure out how much the unknown shape weighs, we solve the equation.

The solution is:  $\square = 3$




1. Write an equation for each balance. Then use mental math to solve how much each geometric shape “weighs.” You can write a number inside each of the geometric shapes to help you.




Equation:  $9 = \square + 3$

Solution:  $\square = 6$




Equation: \_\_\_\_\_

Solution:  $\bigcirc = \underline{\hspace{2cm}}$



Equation: \_\_\_\_\_


Solution:  $\square = \underline{\hspace{2cm}}$



Equation: \_\_\_\_\_

Solution:  $\square = \underline{\hspace{2cm}}$


From now on we will use  $x$  for the unknown instead of a geometric shape. It is the most commonly used letter of the alphabet to signify an unknown.



$$\begin{aligned}x + 5 &= 7 + 13 \\x + 5 &= 20 \\x &= 15\end{aligned}$$

**Example 1.** To solve this equation, first add 7 and 13 that are in the right “pan”.

We get  $x + 5 = 20$ . The solution is easy to see now with mental math:  $x = 15$ . You can also use subtraction:  $x = 20 - 5 = 15$ .



$$\begin{aligned}28 + 9 &= x \\37 &= x \\x &= 37\end{aligned}$$

**Example 2.** Sometimes  $x$  is on the right side of the equation. That is not a problem. In the last step you can flip the sides, so that your last line will be  $x = (\text{something})$ .

Notice that we *align the equal signs* when solving an equation. It keeps everything tidy and easy to read.

2. Write an equation. Write a second step if necessary. Lastly write what  $x$  stands for.

a.

$$\begin{aligned}\underline{\hspace{2cm}} &= \underline{\hspace{2cm}} \\x &= \underline{\hspace{2cm}}\end{aligned}$$

b.

$$\begin{aligned}\underline{\hspace{2cm}} &= \underline{\hspace{2cm}} \\&= \underline{\hspace{2cm}} \\x &= \underline{\hspace{2cm}}\end{aligned}$$

3. Draw  $x$ 's and weights on the left and right sides on the two pans to match the given equation, then solve. You may not need all the empty lines provided.

a.

$$\begin{aligned}x + 18 &= 5 + 31 \\&= \underline{\hspace{2cm}} \\&= \underline{\hspace{2cm}} \\&= \underline{\hspace{2cm}}\end{aligned}$$

b.

$$\begin{aligned}8 + 17 &= 11 + x \\&= \underline{\hspace{2cm}} \\&= \underline{\hspace{2cm}} \\&= \underline{\hspace{2cm}}\end{aligned}$$


(This page intentionally left blank.)

## Problem Solving with Bar Models 3

### One part is a multiple of the other

**Example 1.** Together Hannah and Alice painted a 124-ft long fence. Hannah painted three times as much as Alice. How many feet of fence did Hannah paint? How many feet did Alice paint?

**Solution.** Draw a model. If Hannah painted three parts and Alice painted one part, then the whole fence is divided into four parts.



To solve this, \_\_\_\_\_ the total length of the fence by \_\_\_\_\_. That gives you the length of the fence Alice painted. So, Alice painted \_\_\_\_\_ ft of the fence, and Hannah painted \_\_\_\_\_ ft.

- Two brothers shared a sum of \$9,000 so that the elder brother received two times as much as the younger. How much was each brother's part?
- A book and its packaging weigh 2,200 g. The book weighs nine times as much as the packaging. Find the weight of the book.
- An energy-saving light bulb costs three times as much as a regular bulb. Buying the two together would cost \$8.40. How much would five energy-saving light bulbs cost?

4. Fill in the tables.

Miles traveled by an airplane flying at a constant speed

Hours	Miles
1	550
2	1,100
3	
4	
5	

Price of chairs

Chairs	Price
1	
2	
3	\$54
4	
5	

Weight of identical boxes

Boxes	Weight
10	
20	
30	
40	520 kg
50	

5. Solve. Write a *single* equation that records all the calculations to solve the problem.

- a. Sam bought five identical paintings for \$1,355.  
What was the price of two paintings?

Equation: \_\_\_\_\_

- b. If two identical cans of juice cost \$5.00,  
then how much would five cost?

Equation: \_\_\_\_\_

6. The sides of a rectangle are 16 cm and 40 cm.  
The sides of another, smaller rectangle are  $\frac{3}{4}$  as long.

- a. Find the perimeter of the smaller rectangle.

- b. Is the smaller rectangle's perimeter  $\frac{3}{4}$  of the larger rectangle's perimeter?

(This page intentionally left blank.)



## Mixed Review Chapter 3

1. Draw a bar model where the total is 547, and the three parts are 119, 38, and  $x$ .  
Lastly solve for  $x$ .

(Review: Addition and Subtraction/Ch.1)

2. A washer uses about 14 gallons of water for a load of laundry. If you run the washer three times a week, how much water do you use in a year?

(More Multiplication/Ch.1)

3. Solve. (Multiplying Numbers by Powers of Ten/Ch.2)

a.  $10 \times 2 \times 2 \times 3 \times 100 \times 7$

b.  $400 \times 3,000 \times 110$

c.  $500 \times 200 \times 300 \times 10$

4. Write an equation to match each written sentence. (Review: Addition and Subtraction/Ch.1)

a. The difference of 16 and 7 is 9.

b. The sum of 3, 9, and  $y$  is 20.

5. Fill in the missing number so that the equation is true. (Equations/Ch.1)

a.  $42 = (7 + \square) \times 2$

b.  $480 \div 8 = 10 \times 5 + \square$

c.  $4 + \square = (200 - 50) \div 2$

6. Which calculation(s) can be used to check the division  $458 \div 7 = 65 \text{ R}3$ ? (Long Division/Ch.1)

a.  $3 \times 65 \times 7$

b.  $65 + 7 \times 3$

c.  $7 \times 65 + 3$

d.  $(7 + 65) \times 3$

7. Determine if the two expressions have the same value without calculating anything.

(Review: Multiplication and Division/Ch.1)

a.  $3,289 - 144 - 276$

b.  $9 \times 283 - 5 \times 283$

c.  $5 \times 636$

$3,289 - (144 + 276)$

$4 \times 283$

$2 \times 636 + 2 \times 636$

(This page intentionally left blank.)

---

# Chapter 4: Decimals, Part 1

## Introduction

In this first chapter about decimal arithmetic, students study place value with decimals, add and subtract decimals, and learn to multiply and divide decimals by whole numbers. We study more about decimal multiplication and division in chapter 6, along with conversions between measurement units. Some of the decimal lessons can appear boring, plus there are quite a few of them, so I hope that by breaking up the decimal topics into two chapters, students will not get “bogged down” by the number of topics to study. It can also help them retain the concepts, because we review some topics from this chapter in chapter 6.

The first two lessons deal with place value, first with tenths and hundredths (up to two decimal digits), and then with thousandths (three decimal digits). Then we briefly look at decimals on a number line. These lessons are very important, since understanding decimal place value is the foundation for understanding operations with decimals.

We start building on this foundation in the lesson *Add and Subtract Decimals — Mental Math*. Students solve sums such as  $0.8 + 0.06$  based on their knowledge of place value. The value of that sum is 0.86, not 0.14, like students with a misconception could answer.

Adding and subtracting decimals in columns comes next. This is the common algorithm where the decimal points (or all places) need to be lined up before adding or subtracting. Students also learn to compare and round decimals.

Then lastly for this chapter, we study multiplying and dividing decimals by whole numbers, both using mental math, and using column-multiplication and long division. The mental math strategies are based on place value, and one reason I include so many mental calculations is because they help students understand and solidify the concept of decimal place value.

You might wonder why *Math Mammoth Grade 5* presents decimals before fractions. The traditional way is to teach fractions first because then we can show that decimals are simply fractions of a specific type — namely, they are fractions with denominators that are powers of ten (for example, 0.45 is simply the fraction  $45/100$ ).

There are several reasons I present decimals before fractions. First, students have studied some about both decimals and fractions in earlier grades, so they should have the necessary background to comprehend that the decimals we are studying here *are* fractions. Therefore, I see no need to study all fraction arithmetic in 5th grade before decimal arithmetic.

Secondly, I feel that decimal arithmetic is somewhat easier than fraction arithmetic, and students already know more about it than they know about all the fraction arithmetic that is studied in 5th grade (in 5-B). Thus, studying decimal arithmetic first may be easier for some students.

### Pacing Suggestion for Chapter 4

This table does not include the chapter test as it is found in a different book (or file). Please add one day to the pacing for the test if you will use it.

The Lessons in Chapter 4	page	span	suggested pacing	your pacing
Review: Tenths and Hundredths .....	133	3 pages	1 day	
More Decimals: Thousandths .....	136	5 pages	2 days	
Decimals on a Number Line .....	141	2 pages	1 day	

The Lessons in Chapter 4	page	span	suggested pacing	your pacing
Add and Subtract Decimals—Mental Math .....	143	4 pages	2 days	
Add and Subtract Decimals in Columns .....	147	2 pages	1 day	
Comparing Decimals .....	149	2 pages	1 day	
Rounding Decimals .....	151	2 pages	1 day	
Multiply a Decimal by a Whole Number .....	153	4 pages	2 days	
More on Multiplying Decimals .....	157	2 pages	1 day	
More Practice and Review .....	159	2 pages	1 day	
Divide Decimals by Whole Numbers 1 .....	161	4 pages	2 days	
Divide Decimals by Whole Numbers 2 .....	165	2 pages	1 day	
Mixed Review Chapter 4 .....	167	2 pages	1 day	
Chapter 4 Review .....	169	3 pages	1 day	
Chapter 4 Test (optional)				
<b>TOTALS</b>		39 pages	18 days	

## Helpful Resources on the Internet

We have compiled a list of Internet resources that match the topics in this chapter, including pages that offer:

- **online practice** for concepts;
- online **games**, or occasionally, printable games;
- **animations** and interactive **illustrations** of math concepts;
- **articles** that teach a math concept.

We heartily recommend you take a look! Many of our customers love using these resources to supplement the bookwork. You can use these resources as you see fit for extra practice, to illustrate a concept better and even just for some fun. Enjoy!

<https://l.mathmammoth.com/gr5ch4>



(This page intentionally left blank.)

# Divide Decimals by Whole Numbers 1

To divide a decimal by a whole number with long division is very easy.

Simply divide normally, as if there were no decimal point. Then, **put the decimal point in the quotient in the same place** as it is in the dividend.

See the example on the right. It is your task to finish checking the division by multiplication. Verify that the multiplication gives you the original dividend, 41.51.

$$\begin{array}{r}
 05\overline{)41.51} \\
 \underline{-35} \phantom{0} \\
 65 \\
 \underline{-63} \\
 21 \\
 \underline{-21} \\
 0
 \end{array}$$

**Check:**

$$\begin{array}{r}
 5.93 \\
 \times \phantom{0}7 \\
 \hline
 \end{array}$$

1. Divide. Check each division result with multiplication.

<p style="text-align: right;">Check:</p> <p>a. <math>5 \overline{) 5.30}</math></p>	<p style="text-align: right;">Check:</p> <p>b. <math>6 \overline{) 2.388}</math></p>
<p style="text-align: right;">Check:</p> <p>c. <math>19 \overline{) 23.94}</math></p>	<p style="text-align: right;">Check:</p> <p>d. <math>23 \overline{) 57.638}</math></p>

You know that when dividing whole numbers, there can be a remainder. For example,  $24 \div 5 = 4 \text{ R}4$ .

But, we can continue such divisions into decimal digits. To do that, add decimal zeros to the dividend.

**Example 1.** This is the division  $24 \div 5$  but with 24 written as 24.0.

It is actually an even division, with a quotient of 4.8.

$$\begin{array}{r} 04.8 \\ 5 \overline{)24.0} \\ \underline{20} \phantom{0} \\ 40 \\ \underline{-40} \\ 0 \end{array}$$

**Check:**

$$\begin{array}{r} 4 \\ 4.8 \\ \times 5 \\ \hline 24.0 \end{array}$$

How do you know how many decimal zeros to add to the dividend, so the division will be even?

You cannot tell that before you divide. Just start with maybe 2-3 zeros, and see how the division goes. You can always add more zeros to the dividend if you need to. Besides, not every decimal division is even! We will see an example of that on the next page.

2. Divide in two ways: first by indicating a remainder, then by long division. Add a decimal point and decimal zeros to the dividend. Lastly, check your answer by multiplying.

a.  $31 \div 4 = \underline{\quad} \text{ R } \underline{\quad}$

$$4 \overline{)31} \quad \text{Check:}$$

b.  $56 \div 5 = \underline{\quad} \text{ R } \underline{\quad}$

$$5 \overline{)56} \quad \text{Check:}$$

c.  $15 \div 8 = \underline{\quad} \text{ R } \underline{\quad}$

$$\overline{\quad} \quad \text{Check:}$$

d.  $45 \div 20 = \underline{\quad} \text{ R } \underline{\quad}$

$$\overline{\quad} \quad \text{Check:}$$

Sometimes a decimal division is not even, but just keeps on going forever, like the one below! In that case, **stop the division** at some point, and **give the answer as a rounded number**.

**Example 2.** Seven people shared evenly the cost of a meal for \$99.90. How much did each person pay?

This has to do with money, so the answer needs to have two decimal digits. That means we need to calculate the answer to three decimals (so we can then round it to two decimals).

So, we write 99.90 as 99.900 (with three decimal digits) before dividing.

The answer is then rounded:  $\$14.271 \approx \$14.27$ . But, if each person pays \$14.27, they would pay a total of  $7 \times 14.27 = \$99.89$ . That is one cent short. So in reality, one person would pay \$14.28 and the rest \$14.27.

$$\begin{array}{r} 14.271 \\ 7 \overline{)99.900} \\ \underline{-7} \phantom{00} \\ 29 \phantom{0} \\ \underline{-28} \phantom{0} \\ 19 \phantom{0} \\ \underline{-14} \phantom{0} \\ 50 \\ \underline{-49} \\ 10 \end{array}$$

3. Divide. Add decimal zeros to the dividend, as necessary.

a. Continue the division to 3 decimals, then round your answer to 2 decimals.

$$7 \overline{)25} \quad \text{Check:}$$

b. Continue the division to 2 decimals, then round your answer to 1 decimal.

$$6 \overline{)782} \quad \text{Check:}$$

c. Round your answer to 2 decimals.

$$3 \overline{)4.57} \quad \text{Check:}$$


d. Round your answer to 3 decimals.

$$11 \overline{)2.3} \quad \text{Check:}$$



Use the grid and extra paper for calculations.

4. Six friends shared the cost of a meal that cost \$87.50 as equally as they could. How much did each one pay?
5. The PE teacher divided a 2-mile track into seven equal parts. How long are the parts? Give your answer to two decimal digits, in miles. Remember to write 2 with three decimal zeros before you divide.
6. A recipe calls for 1.5 kg of beef and it makes six servings. How much beef is in one serving?
7. Mary checked the prices of four different hot sauces: \$2.55, \$2.69, \$2.95, and \$2.75. Calculate the average price.  
Hint: to find the average, add all the items and divide by the number of the items



### Puzzle Corner

Figure out where the decimal point has to go when we multiply a decimal by a decimal! Estimation can help.

**a.** Now, 3.82 is about 4, and 7.1 is about 7. If  $382 \times 71 = 27122$ , then what is  $3.82 \times 7.1$ ?

**b.** If  $45 \times 309 = 13905$  what is  $4.5 \times 30.9$ ? (Estimate!)

**c.** If  $569 \times 271 = 154199$  what is  $56.9 \times 2.71$ ?



# Chapter 5: Graphing

## Introduction

This chapter introduces the coordinate grid, but only in the first quadrant. Students learn to plot points and to read their coordinates. They practice using grids with different scaling, and also draw shapes and lines.

Then, students study simple number patterns (number rules), and plot points produced by the rule. This concept will later on lead to the study of *functions* (in 8th grade and beyond).

Next, we study line graphs, which is a natural application of the coordinate grid. Students read and make line graphs, including double line graphs, and answer questions about data already plotted.

At the end of the chapter, we also review the concept of average (also called the *mean*), and see how it relates to line graphs.

### Pacing Suggestion for Chapter 5

This table does not include the chapter test as it is found in a different book (or file). Please add one day to the pacing for the test if you will use it.

The Lessons in Chapter 5	page	span	suggested pacing	your pacing
The Coordinate Grid .....	175	<i>3 pages</i>	1 day	
The Coordinate Grid, Part 2 .....	178	<i>2 pages</i>	1 day	
Number Patterns in the Coordinate Grid .....	180	<i>3 pages</i>	1 day	
More Number Patterns in the Coordinate Grid ....	183	<i>3 pages</i>	1 day	
Line Graphs .....	186	<i>4 pages</i>	2 days	
Double and Triple Line Graphs .....	190	<i>3 pages</i>	1 day	
* Average (Mean) .....	193	<i>3 pages</i>	1 day	
Mixed Review Chapter 5 .....	196	<i>3 pages</i>	2 days	
Chapter 5 Review .....	199	<i>2 pages</i>	1 day	
Chapter 5 Test (optional)				
<b>TOTALS</b>		<i>26 pages</i>	11 days	

\* This lesson exceeds the Common Core Standards for 5th grade.


## Helpful Resources on the Internet

We have compiled a list of Internet resources that match the topics in this chapter, including pages that offer:

- **online practice** for concepts;
- online **games**, or occasionally, printable games;
- **animations** and interactive **illustrations** of math concepts;
- **articles** that teach a math concept.

We heartily recommend you take a look! Many of our customers love using these resources to supplement the bookwork. You can use these resources as you see fit for extra practice, to illustrate a concept better and even just for some fun. Enjoy!

<https://l.mathmammoth.com/gr5ch5>



# The Coordinate Grid

This is a **coordinate grid**. It consists of two number lines that are set perpendicular (at right angles) to each other.

The horizontal number line is called the **x-axis**. The vertical one is called the **y-axis**.

You can see one point, called “A,” that is drawn or *plotted* on the grid.

Since we have two number lines, we use *two* numbers (4 and 6) to signify its location. Those numbers are the **coordinates** of the point A.


The first number, 4, is the **x-coordinate** of the point A. It is called the *x*-coordinate because point A is four units from zero in the horizontal direction (direction of the *x*-axis).

We can see that by drawing a straight line down from A. The line *intersects*, or “hits,” the *x*-axis at 4.

The second number is the **y-coordinate** of the point A. In the vertical direction, point A is six units from zero. When we draw a line directly towards left from A, it intersects the *y*-axis at 6.

We write the two coordinates of a point inside parentheses, separated by a comma: (4, 6).

**Note:** (4, 6) is an **ordered pair**: the order of the two coordinates matters. The *first* number is ALWAYS the *x*-coordinate, and the *second* number is always the *y*-coordinate, not vice versa.




1. Write the two coordinates of the points plotted on the coordinate grid. For points A and B, the helping lines are drawn in. (The helping lines are not necessary to draw; they are just that — *helping* lines. You can draw them if they help you.)

A ( \_\_, \_\_ )    B ( \_\_, \_\_ )

C ( \_\_, \_\_ )    D ( \_\_, \_\_ )

E ( \_\_, \_\_ )    F ( \_\_, \_\_ )


G ( \_\_, \_\_ )    H ( \_\_, \_\_ )



To plot points, you can first “travel” on the  $x$ -axis from the point  $(0, 0)$  (the **origin**) the number of units indicated by the  $x$ -coordinate.

Then travel UP as many units as the  $y$ -coordinate indicates.


The image shows an example of how to plot  $(7, 5)$ .



2. Plot the following points on the coordinate grid. Then join them with line segments in the alphabetical order. What do you get?

A(1, 5)    B(4, 3)    C(4, 6)

D(7, 5)    E(6, 8)




3. **Zero as a coordinate.** Plot the following points in the grid on the right.

A(0, 6)    B(0, 3)    C(0, 0)

D(5, 0)    E(9, 0)


What do you notice?



4. **a.** Write the coordinates of the points E, F, and G.

**b.** Plot a fourth point, H, so that when you join E, F, G, and H with line segments, you will get a rectangle.

**c.** What are the coordinates of H?




(This page intentionally left blank.)

# Line Graphs

Mary sold muffins every day in the school cafeteria, and recorded her sales in the table:

Muffin Sales, Week 11	
Day	Muffins sold
Mon	24
Tue	36
Wed	41
Thu	33
Fri	17




Since the data (the numbers she recorded) is organized by *time*, a line graph is very suitable to display this information. To do that, we first plot the individual data points in the grid. Then we draw lines to connect neighboring points.

**Use a line graph for data that is organized by some unit of time (hours, days, weeks, years, etc.)**

- Add five more data points to the graph from this data:
- Draw a line between each two consecutive points.
- How many dry days were there in the first half of April?
- Which was rainier, the first or second week of April?

Day	11	12	13	14	15
Rainfall (mm)	9	0	0	13	2






To make things clear, a line graph (and most other graphs) needs:

- **Labels** for the **tick marks** on the two axes.
- A **label** for the **vertical axis** (the y-axis).
- A **label** for the **horizontal axis** (the x-axis) unless it is very clear what it is about. For example, in the graph about muffin sales, the labels “Mon,” “Tue,” and so on do show very clearly that they are days of the week, so we don’t necessarily need a title “Days of the week” for the horizontal axis.
- A **title** at the top. Sometimes the graph might be quite clear without a title—because of the surrounding context or otherwise.


2. Robert recorded his total savings at the end of each month. Draw a line graph of that data, according to the instructions.

- Choose a scaling for the vertical axis so that the largest number, \$107, will fit on the grid. Think: should the gridlines go by five? By ten? By fifteen? By some other number?
- Draw the points and the lines between them.
- Add a title at the top.
- Add labels for the two axes.

Month	Total savings
Apr	\$8
May	\$22
Jun	\$46
Jul	\$61
Aug	\$78
Sep	\$95
Oct	\$107




3. A car travels at a constant speed of 30 meters per second. The graph shows the distance that it has traveled in the given time (in seconds).



- a. Add these labels for the axes: “time (sec)” and “distance (m)”.
- b. The point (5, 150) is circled. What does it signify?
- c. Continue the graph till 12 seconds.
- d. When will the car have traveled 3,000 m?

4. Finish the line graph from April onward. First, round the numbers to the nearest 50.

Month	Visitors	rounded
Jan	1039	1050
Feb	1230	1250
Mar	1442	1450
Apr	1427	1450
May	1183	
Jun	823	
Jul	674	
Aug	924	
Sep	1459	
Oct	1540	
Nov	1638	
Dec	1149	




The three months with the fewest visitors were \_\_\_\_\_, \_\_\_\_\_, and \_\_\_\_\_.

The three months with the most visitors were \_\_\_\_\_, \_\_\_\_\_, and \_\_\_\_\_.

5. a. Draw a line graph of the data on the right.

- First draw the two axes, one at the bottom and the other at the left side. Use a ruler so the graph looks neat.
- Label the axes. Label the horizontal axis as “year” (not as “x”). Label the vertical axis as “members” (not as “y”).
- Label the whole graph by writing at the top: “After-School Sports Club Members from 1998 to 2005.”
- Since the horizontal axis is for the years, draw tick marks on that axis for the years, but use *three* squares between each tick mark because the numbers for the years are so long (four digits).
- Then choose a scaling for the vertical axis. Because the member counts vary from 27 to 63, it makes sense to mark the vertical axis in fives, starting from 0. In other words, let each grid square be 5 members.
- Now you are ready to plot the points and draw the line graph.

After-School Sports Club	
Year	Members
1998	56
1999	63
2000	60
2001	35
2002	27
2003	32
2004	57
2005	63



(This page intentionally left blank.)

## Chapter 5 Review

1. a. Fill in the  $x$  and  $y$  values according to the rules.

$x$ -values: start at 0, and add 1 each time.


$y$ -values: start at 9, and subtract 1 each time.

$x$							
$y$							


b. Plot the points formed by the number pairs.

c. What simple rule ties the  $x$  and  $y$ -coordinates together in each case?

d. Explain in your own words why this is so.



2. Answer the questions based on the graph.



Source: Census of Agriculture

a. Rounding to the nearest half a million, about how many tractors were there in 1930?

In 1960?


b. During which decade did the amount of tractors rise the quickest?

c. What was the *approximate* amount of increase in tractors during that decade?

d. Describe the trend in the amount of tractors between 1970 and 1995.


3. Find the mean of this data set to the nearest hundredth:  
5, 9, 13, 12, 16, 10, 19, 11, 10. Use long division.

4. A department store tracked the sales of umbrellas.



- a. In 2021, in which months were the sales less than 40 umbrellas?
- b. Find the month with the greatest difference between 2021 and 2022 sales.

5. The four points you see plotted follow a certain pattern. Figure out the pattern, and then fill in the table, following the pattern. Also, plot the remaining points.



x	0	10	20	30	40	50	60	70	80	90	100	110
y												

- b. (Optional challenge). What rule ties the  $x$  and  $y$ -coordinates together?